

Buz® Flow G 577

Liquid pipe cleaner















Area of application

• Drains, pipes, siphons in sinks, showers

Product properties

- · Highly active, self-acting drain cleaner
- Powerfully removes blockages from soap residues, grease, hair and food residues
- Slightly viscous and thus increased effect
- Meets the requirements within the framework of an HACCP concept
- With regular application, blockages are prevented
- Eliminates unpleasant odours

Application and dosage

- Pour the solution directly into the drain and leave for 15 min 4 hours.
- Then rinse with hot water.
- Consumption: 50 200 ml / per application



Note

- Do not mix with acidic products.
- Changes or variations in colour of the product do not impact on the quality. The product image may differ in colour and shape from the original.
- Safety: Hazard statements and safety precautions can be found in the relevant safety data sheet, which is available at www.buzil.com.
- Storage: Always keep containers closed. Store at room temperature in the original container. Consume opened containers within 9 months.
- Environmental: Feed residual emptied containers to the dual system. For detailed information see environmental information

Further information

- Product colour: colourless light yellow
- Ingredients according to the EU Detergents Regulation (Det-VO*): AQUA, SODIUM HYDROXIDE, TRISODIUM DICARBOXYMETHYLALANINATE, COCAMINE OXIDE, SODIUM LAURIMINODIPROPIONATE, SODIUM **ACRYLATE**

• GISBAU code: GR 10

UFI code: 1960-406K-200D-4NN3

Sales units

• G577-0001RA: 12 x 1 l bottle







* A database of correspondences between INCI names, European Pharmacopoeia names and CAS numbers is provided on the European Commission Pharmacos website: https://ec.europa.eu/growth/tools-databases/cosing/
Remark: Some products may not be available in all territories. Please talk to your customer service representative.
The data in our product information sheets are based on our experience and careful investigations, and correspond to our present state of knowledge. We are, however, not able to examine and influence in detail the varying conditions for usage and materials, and those at premises where products are to be used. For this reason, we can only provide general information on usage. The quality of the work depends on expert assessment of the premises where products are to be used and how they are in fact employed by the user. In the case of doubt, the latter is obliged at all times to test the compatibility of the material to be treated with the Buzil product on an inconspicuous area or to obtain relevant advice on application technology. Liability for incomplete or incorrect data in our product information shall lose its validity through the above listed product information.

