



# Safety Data Sheet

according to Regulation (EC) No 1907/2006



## Budenat® Alkasept

Revision date: 09.01.2024

D445

Page 2 of 12

### Precautionary statements

P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P501	Dispose of contents/containers in accordance with local and national regulations.

### 2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

#### Hazardous components

CAS No	Chemical name	Quantity		
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
141-43-5	2-Aminoethanol			5 - < 10 %
	205-483-3	603-030-00-8	01-2119486455-28	
	Acute Tox. 4, Acute Tox. 4, Acute Tox. 4, Skin Corr. 1B, Eye Dam. 1, STOT SE 3, Aquatic Chronic 3; H332 H312 H302 H314 H318 H335 H412			
7173-51-5	Didecyldimethylammonium chloride			5 - < 10 %
	230-525-2	612-131-00-6	01-2119945987-15	
	Acute Tox. 4, Skin Corr. 1B, Eye Dam. 1, Aquatic Acute 1, Aquatic Chronic 2; H302 H314 H318 H400 H411			
584-08-7	Potassium carbonate			5 - < 10 %
	209-529-3		01-2119532646-36	
	Skin Irrit. 2, Eye Irrit. 2, STOT SE 3; H315 H319 H335			
68439-49-6	Alcohols, C16-18, ethoxylated (3->20 EO)			5 - < 10 %
	Eye Dam. 1; H318			
67-63-0	Propan-2-ol; Isopropyl alcohol; Isopropanol			1 - < 5 %
	200-661-7	603-117-00-0	01-2119457558-25	
	Flam. Liq. 2, Eye Irrit. 2, STOT SE 3; H225 H319 H336			

Full text of H and EUH statements: see section 16.

# Safety Data Sheet

according to Regulation (EC) No 1907/2006



## Budenat® Alkasept

Revision date: 09.01.2024

D445

Page 3 of 12

### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
141-43-5	205-483-3	2-Aminoethanol	5 - < 10 %
		inhalation: LC50 = > 1,3 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); dermal: ATE = 1100 mg/kg; oral: LD50 = 1089 mg/kg STOT SE 3; H335: >= 5 - 100	
7173-51-5	230-525-2	Didecyltrimethylammonium chloride	5 - < 10 %
		oral: LD50 = > 300 - 2000 mg/kg Aquatic Acute 1; H400: M=10	
584-08-7	209-529-3	Potassium carbonate	5 - < 10 %
		inhalation: LC50 = >5 mg/l (dusts or mists); dermal: LD50 = >2000 mg/kg; oral: LD50 = >2000 mg/kg	
68439-49-6		Alcohols, C16-18, ethoxylated (3->20 EO)	5 - < 10 %
		dermal: LD50 = > 2000 mg/kg; oral: LD50 = > 2000 mg/kg	
67-63-0	200-661-7	Propan-2-ol; Isopropyl alcohol; Isopropanol	1 - < 5 %
		inhalation: LC50 = 30 mg/l (vapours); dermal: LD50 = > 2000 mg/kg; oral: LD50 = 5840 mg/kg	

### Labelling for contents according to Regulation (EC) No 648/2004

5 % - < 15 % cationic surfactants, 5 % - < 15 % non-ionic surfactants.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### General information

Remove contaminated, saturated clothing immediately.

#### After inhalation

Provide fresh air.

#### After contact with skin

After contact with skin, wash immediately with plenty of water and soap.

Take off contaminated clothing and wash it before reuse.

#### After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

#### After ingestion

Rinse mouth immediately and drink plenty of water.

Do NOT induce vomiting.

### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

#### Suitable extinguishing media

Water spray jet  
alcohol resistant foam  
Carbon dioxide  
Extinguishing powder

#### Unsuitable extinguishing media

Full water jet

### 5.2. Special hazards arising from the substance or mixture

Hazardous combustion products:

Carbon dioxide

# Safety Data Sheet

according to Regulation (EC) No 1907/2006



## Budenat® Alkasept

D445

Revision date: 09.01.2024

Page 4 of 12

Carbon monoxide

### **5.3. Advice for firefighters**

Co-ordinate fire-fighting measures to the fire surroundings.

### **Additional information**

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

## **SECTION 6: Accidental release measures**

### **6.1. Personal precautions, protective equipment and emergency procedures**

#### **General advice**

Use personal protection equipment.

Avoid contact with skin, eyes and clothes.

#### **For non-emergency personnel**

Ventilate affected area.

#### **For emergency responders**

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

### **6.2. Environmental precautions**

Do not allow to enter into surface water or drains.

Do not allow to enter into soil/subsoil.

### **6.3. Methods and material for containment and cleaning up**

#### **For containment**

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

#### **For cleaning up**

Treat the recovered material as prescribed in the section on waste disposal.

#### **Other information**

Collect in closed and suitable containers for disposal.

Ventilate affected area.

### **6.4. Reference to other sections**

Personal protection equipment: see section 8

Disposal: see section 13

## **SECTION 7: Handling and storage**

### **7.1. Precautions for safe handling**

#### **Advice on safe handling**

Avoid contact with skin, eyes and clothes.

Do not mix with other chemicals.

Use personal protection equipment.

When using do not eat, drink or smoke.

Use only in well-ventilated areas.

Do not breathe gas/fumes/vapour/spray.

#### **Advice on protection against fire and explosion**

No special fire protection measures are necessary.

#### **Advice on general occupational hygiene**

Take off contaminated clothing.

Wash hands before breaks and after work.

When using do not eat, drink or smoke.

#### **Further information on handling**

Absorb spillage to prevent material damage.

### **7.2. Conditions for safe storage, including any incompatibilities**

# Safety Data Sheet

according to Regulation (EC) No 1907/2006



## Budenat® Alkasept

D445

Revision date: 09.01.2024

Page 5 of 12

### Requirements for storage rooms and vessels

Keep container tightly closed.  
Keep/Store only in original container.

### Hints on joint storage

No special measures are necessary.

### Further information on storage conditions

No further relevant information available.

### 7.3. Specific end use(s)

Disinfectant cleaners

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Occupational exposure limit values

CAS No	Name of agent	ppm	mg/m <sup>3</sup>	fib/cm <sup>3</sup>	Category	Origin
141-43-5	2-Aminoethanol	1	2.5		TWA (8 h)	
		3	7.6		STEL (15 min)	

#### Additional advice on limit values

No information available.

### 8.2. Exposure controls



#### Appropriate engineering controls

No information available.

#### Individual protection measures, such as personal protective equipment

##### Eye/face protection

Wear eye/face protection. (EN 166)

##### Hand protection

Wear suitable gloves. (EN 374, Category III)

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits.

Suitable material: NBR (Nitrile rubber) / Thickness of the glove material > 0,1 mm

Diluted ready-to-use solutions <=1%:

Protective gloves may be waived, if equivalent measures allowing for an increased skin stress because of wet work are implemented (e. g. application of suitable skin protecting creams).

##### Skin protection

Wear suitable work clothing.

##### Respiratory protection

Use only in well-ventilated areas.

In case of inadequate ventilation wear respiratory protection. (EN 14387, A1)

##### Thermal hazards

No further relevant information available.

##### Environmental exposure controls

Section 6: Accidental Release Measures

# Safety Data Sheet

according to Regulation (EC) No 1907/2006



## Budenat® Alkasept

D445

Revision date: 09.01.2024

Page 6 of 12

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state:	Liquid	
Colour:	colourless - light yellow	
Odour:	characteristic	
		<b>Test method</b>
Melting point/freezing point:		approx. 0 °C
Boiling point or initial boiling point and boiling range:		approx. 100 °C
Flammability:		not applicable
Lower explosion limits:		not determined
Upper explosion limits:		not determined
Flash point:		> 65 °C
Auto-ignition temperature:		not determined
Decomposition temperature:		not applicable
pH-Value (at 20 °C):		approx. 13
Viscosity / kinematic: (at 40 °C)		not determined
Water solubility: (at 20 °C)		completely miscible
Solubility in other solvents		
not determined		
Partition coefficient n-octanol/water:		not applicable
Vapour pressure:		not determined
Density (at 20 °C):		1,06 g/cm <sup>3</sup>
Relative density:		not determined
Relative vapour density:		not determined
Particle characteristics:		not relevant

#### 9.2. Other information

##### Other safety characteristics

Viscosity / dynamic:  
(at 25 °C) < 10 mPa·s (50 1/s)

No information available.

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

Corrosive to metals.  
Exothermic reaction with: Acid

#### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

#### 10.3. Possibility of hazardous reactions

Corrosive to metals.  
Exothermic reaction with: Acid

#### 10.4. Conditions to avoid

The product is stable under storage at normal ambient temperatures.

#### 10.5. Incompatible materials

Corrosive to metals.  
Acid

# Safety Data Sheet

according to Regulation (EC) No 1907/2006



## Budenat® Alkasept

D445

Revision date: 09.01.2024

Page 7 of 12

### 10.6. Hazardous decomposition products

No known hazardous decomposition products.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
141-43-5	2-Aminoethanol				
	oral	LD50 1089 mg/kg	Rat		OECD 401
	dermal	ATE 1100 mg/kg			
	inhalation vapour	LC50 > 1,3 mg/l	Rat		
	inhalation dust/mist	ATE 1,5 mg/l			
7173-51-5	Didecyldimethylammonium chloride				
	oral	LD50 > 300 - 2000 mg/kg	Rat		
584-08-7	Potassium carbonate				
	oral	LD50 >2000 mg/kg	Rat	ATE	
	dermal	LD50 >2000 mg/kg	Rat	ATE	
	inhalation dust/mist	LC50 >5 mg/l	Rat	ATE	
68439-49-6	Alcohols, C16-18, ethoxylated (3->20 EO)				
	oral	LD50 > 2000 mg/kg	Rat		
	dermal	LD50 > 2000 mg/kg	Rat		
67-63-0	Propan-2-ol; Isopropyl alcohol; Isopropanol				
	oral	LD50 5840 mg/kg	Rat		OECD 401
	dermal	LD50 > 2000 mg/kg	Rabbit		
	inhalation (4 h) vapour	LC50 30 mg/l	Rat		

#### Irritation and corrosivity

Causes severe skin burns and eye damage.

Causes serious eye damage.

#### Sensitising effects

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

#### STOT-single exposure

May cause respiratory irritation. (2-Aminoethanol)

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

# Safety Data Sheet

according to Regulation (EC) No 1907/2006



## Budenat® Alkasept

D445

Revision date: 09.01.2024

Page 8 of 12

### Aspiration hazard

Based on available data, the classification criteria are not met.

### 11.2. Information on other hazards

#### Other information

No information available.

## SECTION 12: Ecological information

### 12.1. Toxicity

Very toxic to aquatic life.

Harmful to aquatic life with long lasting effects.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
141-43-5	2-Aminoethanol					
	Acute fish toxicity	LC50 170 mg/l	96 h	Carassius auratus (goldfish)		APHA 1971
	Acute algae toxicity	ErC50 22 mg/l	72 h	Scenedesmus subspicatus		92/69/EWG
	Acute crustacea toxicity	EC50 65 mg/l	48 h	Daphnia magna (Big water flea)		
	Fish toxicity	NOEC 1,2 mg/l	30 d	Oryzias latipes (Ricefish)		
	Crustacea toxicity	NOEC 0,85 mg/l	21 d	Daphnia magna (Big water flea)		OECD 211
7173-51-5	Didecyldimethylammonium chloride					
	Acute fish toxicity	LC50 > 0,1 - 1 mg/l	96 h	Danio rerio (zebrafish)		OECD 203
	Acute algae toxicity	ErC50 > 0,01 - 0,1 mg/l	72 h	Pseudokirchneriella subcapitata		OECD 201
	Acute crustacea toxicity	EC50 > 0,01 - 0,1 mg/l	48 h	Daphnia magna (Big water flea)		OECD 202
	Crustacea toxicity	NOEC > 0,01 - 0,1 mg/l	21 d	Daphnia magna (Big water flea)		OECD 211
584-08-7	Potassium carbonate					
	Acute fish toxicity	LC50 > 1 mg/l	96 h			
	Acute algae toxicity	ErC50 > 1 mg/l				
	Acute crustacea toxicity	EC50 > 1 mg/l	48 h			
68439-49-6	Alcohols, C16-18, ethoxylated (3->20 EO)					
	Acute fish toxicity	LC50 3,5 mg/l	96 h	Danio rerio (zebrafish)		OECD 203
67-63-0	Propan-2-ol; Isopropyl alcohol; Isopropanol					
	Acute fish toxicity	LC50 > 10000 mg/l	96 h	Pimephales promelas (fathead minnow)		OECD 203
	Acute algae toxicity	ErC50 > 100 mg/l	72 h	Scenedesmus subspicatus		
	Acute crustacea toxicity	EC50 > 100 mg/l	48 h	Daphnia magna (Big water flea)		

### 12.2. Persistence and degradability

The surfactants contained in this mixture comply with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents.



# Safety Data Sheet

according to Regulation (EC) No 1907/2006



## Budenat® Alkasept

Revision date: 09.01.2024

D445

Page 9 of 12

CAS No	Chemical name	Method	Value	d	Source
		Evaluation			
141-43-5	2-Aminoethanol				
	OECD 301 A		> 70 %	28	
	Readily biodegradable (according to OECD criteria).				
7173-51-5	Didecyltrimethylammonium chloride				
	OECD 301 D		> 60 %	28	
	Readily biodegradable (according to OECD criteria).				
68439-49-6	Alcohols, C16-18, ethoxylated (3->20 EO)				
	OECD 301 B		> 60 %	28	
	Readily biodegradable (according to OECD criteria).				

### 12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
141-43-5	2-Aminoethanol	- 2,46

### BCF

CAS No	Chemical name	BCF	Species	Source
7173-51-5	Didecyltrimethylammonium chloride	81		

### 12.4. Mobility in soil

The product has not been tested.

### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

### 12.7. Other adverse effects

No information available.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

#### **Disposal recommendations**

Dispose of waste according to applicable legislation.

Delivery to an approved waste disposal company.

#### **List of Wastes Code - residues/unused products**

070601 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; aqueous washing liquids and mother liquors; hazardous waste

#### **List of Wastes Code - contaminated packaging**

150102 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); plastic packaging

#### **Contaminated packaging**

Non-contaminated packages may be recycled.

## SECTION 14: Transport information

# Safety Data Sheet



according to Regulation (EC) No 1907/2006

## Budenat® Alkasept

D445

Revision date: 09.01.2024

Page 10 of 12

### Land transport (ADR/RID)

**14.1. UN number or ID number:** UN 1903  
**14.2. UN proper shipping name:** DISINFECTANT, LIQUID, CORROSIVE, N.O.S. (quaternary nitrogen compounds)  
**14.3. Transport hazard class(es):** 8  
**14.4. Packing group:** III  
Hazard label: 8



Classification code: C9  
Special Provisions: 274  
Limited quantity: 5 L  
Excepted quantity: E1  
Transport category: 3  
Hazard No: 80  
Tunnel restriction code: E

### Inland waterways transport (ADN)

**14.1. UN number or ID number:** UN 1903  
**14.2. UN proper shipping name:** DISINFECTANT, LIQUID, CORROSIVE, N.O.S. (quaternary nitrogen compounds)  
**14.3. Transport hazard class(es):** 8  
**14.4. Packing group:** III  
Hazard label: 8



Classification code: C9  
Special Provisions: 274  
Limited quantity: 5 L  
Excepted quantity: E1

### Marine transport (IMDG)

**14.1. UN number or ID number:** UN 1903  
**14.2. UN proper shipping name:** DISINFECTANT, LIQUID, CORROSIVE, N.O.S. (quaternary nitrogen compounds)  
**14.3. Transport hazard class(es):** 8  
**14.4. Packing group:** III  
Hazard label: 8



Marine pollutant: yes  
Special Provisions: 223, 274  
Limited quantity: 5 L  
Excepted quantity: E1  
EmS: F-A, S-B  
Segregation group: 18 - alkalis

### Air transport (ICAO-TI/IATA-DGR)

**14.1. UN number or ID number:** UN 1903  
**14.2. UN proper shipping name:** DISINFECTANT, LIQUID, CORROSIVE, N.O.S. (quaternary nitrogen compounds)

# Safety Data Sheet

according to Regulation (EC) No 1907/2006



## Budenat® Alkasept

D445

Revision date: 09.01.2024

Page 11 of 12

**14.3. Transport hazard class(es):** 8

**14.4. Packing group:** III

Hazard label: 8



Special Provisions: A3 A803

Limited quantity Passenger: 1 L

Passenger LQ: Y841

Excepted quantity: E1

IATA-packing instructions - Passenger: 852

IATA-max. quantity - Passenger: 5 L

IATA-packing instructions - Cargo: 856

IATA-max. quantity - Cargo: 60 L

### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: Yes



### 14.6. Special precautions for user

No special measures are necessary.

### 14.7. Maritime transport in bulk according to IMO instruments

not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 40, Entry 75

2010/75/EU (VOC): 9,5 %

#### Additional information

Regulation (EC) No. 648/2004 [Detergents regulation]

#### National regulatory information

Water hazard class (D): 2 - obviously hazardous to water

### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

## SECTION 16: Other information

### Changes

This data sheet contains changes from the previous version in section(s): 2,9.

### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route  
(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

# Safety Data Sheet

according to Regulation (EC) No 1907/2006



## Budenat® Alkasept

Revision date: 09.01.2024

D445

Page 12 of 12

CAS: Chemical Abstracts Service

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

Process categories according to ECHA guidance on information requirements and chemical safety assessment, chapter R.12:

PROC 1: Use in closed processes.

PROC 2: Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions

PROC 4: Chemical production where opportunity for exposure arises

PROC 7: Industrial spraying

PROC 8 (Transfer): Dilution of concentrated products, application of drain cleaners, dosage of textile washing agents.

PROC 9: Transfer of substance or mixture into small containers (dedicated filling line, including weighing)

PROC 10 (Roller application or brushing): Processing without large-scale spraying.

PROC 11 (Spraying outside industrial settings): Processing with large-scale spraying (e. g. high pressure cleaning, foam gun).

PROC 13: Treatment of articles by dipping and pouring

PROC 19 (Hand-mixing with intimate contact): Hand cleaning and disinfection

### Relevant H and EUH statements (number and full text)

H225	Highly flammable liquid and vapour.
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

### Further Information

Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]: 9 (1)

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*