
according to Regulation (EC) No 1907/2006



number.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Met. Corr. 1; H290 Skin Corr. 1; H314 Eye Dam. 1; H318 Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Hazard components for labelling Phosphoric acid. Hydrochloric acid.

Signal word: Danger

Pictograms:



Hazard statements

H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H412	Harmful to aquatic life with long lasting effects.

Precautionary statements

P280	Wear protective gloves/protective clothing/eye protection/face protection.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with
	water or shower.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.

325



according to Regulation (EC) No 1907/2006

WC Cleaner Revision date: 26.11.2024 G465 Page 2 of 11

P310

Immediately call a POISON CENTER/doctor.

2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name				
	EC No	Index No	REACH No		
	Classification (Regulation (EC) No	1272/2008)			
7664-38-2	Phosphoric acid			5 - < 10 %	
	231-633-2	015-011-00-6	01-2119485924-24		
	Met. Corr. 1, Acute Tox. 4, Skin Co	orr. 1B, Eye Dam. 1; H290	H302 H314 H318		
7647-01-0	Hydrochloric acid	1 - < 5 %			
	231-595-7	017-002-01-X	01-2119484862-27		
	Met. Corr. 1, Skin Corr. 1B, Eye Da				
68439-50-9	Alcohols, C12-14, ethoxylated	1 - < 5 %			
	Acute Tox. 4, Eye Dam. 1, Aquatic				
25307-17-9	2,2'-(Octadec-9-enylimino) bisethanol			1 - < 5 %	
	246-807-3		01-2119510876-35		
	Acute Tox. 4, Skin Corr. 1B, Eye D H400 H410				

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc	z. Limits, M-factors and ATE	
7664-38-2	231-633-2	Phosphoric acid	5 - < 10 %
	oral: ATE = 5 Irrit. 2; H319:	500 mg/kg Skin Corr. 1B; H314: >= 25 - 100 Skin Irrit. 2; H315: >= 10 - < 25 Eye >= 10 - < 25	
7647-01-0	231-595-7	Hydrochloric acid	1 - < 5 %
		; H314: >= 25 - 100 Skin Irrit. 2; H315: >= 10 - < 25 Eye Irrit. 2; H319: >= 10 - < E 3; H335: >= 10 - 100	
68439-50-9		Alcohols, C12-14, ethoxylated	1 - < 5 %
	oral: LD50 =	> 300 - 2000 mg/kg	
25307-17-9	246-807-3	2,2'-(Octadec-9-enylimino) bisethanol	1 - < 5 %
		> 300 - 2000 mg/kg Aquatic Acute 1; H400: M=10 nic 1; H410: M=1	

Labelling for contents according to Regulation (EC) No 648/2004

5 % - < 15 % non-ionic surfactants, perfumes (Benzyl alcohol, Limonene).

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Remove contaminated, saturated clothing immediately.

After inhalation

Provide fresh air.



according to Regulation (EC) No 1907/2006

	WC Cleaner	
Revision date: 26.11.2024	G465	Page 3 of 11
After contact with skin After contact with skin, wash immed Take off contaminated clothing and		
After contact with eyes Rinse immediately carefully and tho	roughly with eye-bath or water.	
After ingestion Rinse mouth immediately and drink Do NOT induce vomiting.	plenty of water.	
4.2. Most important symptoms and effect No information available.	s, both acute and delayed	
4.3. Indication of any immediate medical Treat symptomatically.	attention and special treatment needed	
SECTION 5: Firefighting measures		
5.1. Extinguishing media		
Suitable extinguishing media		
Water spray jet		
alcohol resistant foam		
Carbon dioxide		

Extinguishing powder

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products: Carbon dioxide Carbon monoxide

5.3. Advice for firefighters

Co-ordinate fire-fighting measures to the fire surroundings.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Use personal protection equipment. Avoid contact with skin, eyes and clothes.

For non-emergency personnel

Ventilate affected area.

For emergency responders

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

6.3. Methods and material for containment and cleaning up

For containment

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

For cleaning up

Treat the recovered material as prescribed in the section on waste disposal.

according to Regulation (EC) No 1907/2006

		WC Cleaner				
Revision date	e: 26.11.2024	G465				Page 4 of 1
Ventila	t in closed and suitable containers for dispos ate affected area.	al.				
Perso	ce to other sections nal protection equipment: see section 8 sal: see section 13					
SECTION 7	Handling and storage					
7.1. Precauti	ons for safe handling					
Avoid Do no Use p	n safe handling contact with skin, eyes and clothes. t mix with other chemicals. ersonal protection equipment. using do not eat or drink.					
	n protection against fire and explosion ecial fire protection measures are necessary.					
Take o Wash	n general occupational hygiene off contaminated clothing. hands before breaks and after work. using do not eat or drink.					
Absor	formation on handling b spillage to prevent material damage.					
	ns for safe storage, including any incompa	<u>tibilities</u>				
Keep	ents for storage rooms and vessels container tightly closed. Store only in original container.					
-	oint storage ecial measures are necessary.					
	formation on storage conditions ther relevant information available.					
7.3. Specific	end use(s)					
Clean	ing agent					
SECTION 8	Exposure controls/personal protectio	n				
8.1. Control	parameters					
Occupationa	l exposure limit values					
CAS No	Name of agent	ppm	mg/m³	fib/cm³	Category	Origin
7647-01-0	Hydrogen chloride	5			TWA (8 h) STEL (15 min)	

Orthophosphoric acid

No information available.

8.2. Exposure controls

7664-38-2

TWA (8 h)

STEL (15 min)

1 2 bwi

according to Regulation (EC) No 1907/2006



WC Cleaner

Revision date: 26.11.2024

G465

Page 5 of 11



Appropriate engineering controls

No information available.

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear eye protection/face protection. (EN 166)

Hand protection

Wear suitable gloves. (EN 374, Category III)

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits.

Suitable material: NBR (Nitrile rubber) / Thickness of the glove material > 0,1 mm

Diluted ready-to-use solutions <=1%:

Protective gloves may be waived, if equivalent measures allowing for an increased skin stress because of wet work are implemented (e. g. application of suitable skin protecting creams).

Skin protection

Wear suitable work clothing.

Respiratory protection

Usually no personal respirative protection necessary.

Thermal hazards

No further relevant information available.

Environmental exposure controls

Section 6: Accidental Release Measures

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Colour: Odour:	Liquid red Perfumes, fragrances	
	r chuncs, nagrances	
		Test method
Melting point/freezing point:	approx. 0 °C	
Boiling point or initial boiling point and	approx. 100 °C	
boiling range:		
Flammability:	not applicable	
Lower explosion limits:	not determined	
Upper explosion limits:	not determined	
Flash point:	not applicable	
Auto-ignition temperature:	not determined	
Decomposition temperature:	not applicable	
pH-Value (at 20 °C):	0,0 - 0,5	
Viscosity / kinematic:	not determined	
(at 40 °C)		
Water solubility:	completely miscible	
(at 20 °C)		
Solubility in other solvents		
not determined		
Partition coefficient n-octanol/water:	not applicable	

according to Regulation (EC) No 1907/2006

Revision date: 26.11.2024	WC Cleaner G465	Page 6 of 1 [°]
Revision date. 20.11.2024		i age o oi i
Vapour pressure:	not determined	
Density (at 20 °C):	1,05 g/cm³	
Relative density:	not determined	
Relative vapour density:	not determined	
Particle characteristics:	not relevant	
9.2. Other information		
Other safety characteristics		
Viscosity / dynamic:	< 450 mPa⋅s (50	1/s)
(at 25 °C)	Υ.	,
No information available.		

10.1. Reactivity

Corrosive to metals. Exothermic reaction with: Alkali (lye)

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Corrosive to metals. Exothermic reaction with: Alkali (lye)

10.4. Conditions to avoid

The product is stable under storage at normal ambient temperatures.

10.5. Incompatible materials

Corrosive to metals. Alkali (lye)

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name							
	Exposure route	Dose	Species	Source	Method			
7664-38-2	Phosphoric acid	Phosphoric acid						
	oral	ATE 500 mg/kg						
68439-50-9	Alcohols, C12-14, ethoxylated							
	oral	LD50 > 300 - 2000 mg/kg	Rat		OECD 401			
25307-17-9	2,2'-(Octadec-9-enylimino) bisethanol							
	oral	LD50 > 300 - 2000 mg/kg	Rat		OECD 401			



according to Regulation (EC) No 1907/2006

WC Cleaner G465 Revision date: 26.11.2024 Page 7 of 11 Irritation and corrosivity Skin corrosion/irritation: Causes severe skin burns and eye damage. Serious eye damage/eye irritation: Causes serious eye damage. Sensitising effects Based on available data, the classification criteria are not met. Carcinogenic/mutagenic/toxic effects for reproduction Germ cell mutagenicity: Based on available data, the classification criteria are not met. Carcinogenicity: Based on available data, the classification criteria are not met. Reproductive toxicity: Based on available data, the classification criteria are not met. STOT-single exposure Based on available data, the classification criteria are not met. STOT-repeated exposure Based on available data, the classification criteria are not met. Aspiration hazard Based on available data, the classification criteria are not met. 11.2. Information on other hazards Other information No information available. **SECTION 12: Ecological information**

12.1. Toxicity

Harmful to aquatic life with long lasting effects.

CAS No	o Chemical name								
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method		
7664-38-2	Phosphoric acid								
	Acute fish toxicity	LC50	138 mg/l	96 h	Gambusia affinis				
7647-01-0	Hydrochloric acid								
	Acute fish toxicity	LC50	862 mg/l	96 h	Leuciscus idus				
68439-50-9	Alcohols, C12-14, ethoxylated								
	Acute fish toxicity	LC50 mg/l	1 - 10	96 h					
	Acute algae toxicity	ErC50 mg/l	> 1 - 10						
	Acute crustacea toxicity	EC50 mg/l	1 - 10	48 h					
25307-17-9	2,2'-(Octadec-9-enylimino) bisethanol							
	Acute fish toxicity	LC50 mg/l	> 0,1 - 1	96 h	Danio rerio (zebrafish)		OECD 203		
	Acute algae toxicity	ErC50 0,1 mg/l	> 0,01 -	72 h	Pseudokirchneriella subcapitata		OECD 201		
	Acute crustacea toxicity	EC50 0,1 mg/l	> 0,01 -	48 h	Daphnia magna (Big water flea)		OECD 202		

12.2. Persistence and degradability

The surfactants contained in this mixture comply with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents.





according to Regulation (EC) No 1907/2006

WC Cleaner G465 Revision date: 26.11.2024 Page 8 of 11 Chemical name CAS No Method Value d Source Evaluation Alcohols, C12-14, ethoxylated 68439-50-9 **OECD 301 B** > 60 % 28 Readily biodegradable (according to OECD criteria). 25307-17-9 2,2'-(Octadec-9-enylimino) bisethanol > 60 % OECD 301 D 28 Readily biodegradable (according to OECD criteria).

12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
25307-17-9	2,2'-(Octadec-9-enylimino) bisethanol	3,4

BCF

CAS No	Chemical name	BCF	Species	Source
25307-17-9	2,2'-(Octadec-9-enylimino) bisethanol	23,4		

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Dispose of waste according to applicable legislation. Delivery to an approved waste disposal company.

List of Wastes Code - residues/unused products

060104 WASTES FROM INORGANIC CHEMICAL PROCESSES; wastes from the manufacture, formulation, supply and use (MFSU) of acids; phosphoric and phosphorous acid; hazardous waste

List of Wastes Code - contaminated packaging

150102 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); plastic packaging

Contaminated packaging


Non-contaminated packages may be recycled.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number:	UN 3264
14.2. UN proper shipping name:	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Phosphoric acid,
	Hydrochloric acid)

according to Regulation (EC) No 1907/2006




3177

according to Regulation (EC) No 1907/2006



5	G465	D 40 (44
Revision date: 26.11.2024	0+00	Page 10 of 11
Limited quantity Passenger: IATA-packing instructions - Passenger: IATA-max. quantity - Passenger: IATA-packing instructions - Cargo: IATA-max. quantity - Cargo:	1 L 852 5 L 856 60 L	
14.5. Environmental hazards		
ENVIRONMENTALLY HAZARDOUS:	No	
14.6. Special precautions for user No special measures are necessary.		
14.7. Maritime transport in bulk according to	MO instruments	
not applicable		
SECTION 15: Regulatory information		
15.1. Safety, health and environmental regul	ations/legislation specific for the substance or mixture	
EU regulatory information Restrictions on use (REACH, annex XVII): Entry 3, Entry 75 Directive 2010/75/EU on industrial emissions:	< 0,2 %	
Additional information Regulation (EC) No. 648/2004 [Deterge	ents regulation]	
National regulatory information		
Water hazard class (D):	3 - highly hazardous to water	
15.2. Chemical safety assessment Chemical safety assessments for subs	tances in this mixture were not carried out.	
SECTION 16: Other information		
Changes This data sheet contains changes from 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16.		
Abbreviations and acronyms		
(European Agreement concerning the I IMDG: International Maritime Code for IATA: International Air Transport Assoc	ciation Classification and Labelling of Chemicals Ig Commercial Chemical Substances	
assessment, chapter R.12: PROC 1: Use in closed processes. PROC 2: Chemical production or refine processes with equivalent containment PROC 4: Chemical production where o PROC 7: Industrial spraying		



ovision data, 00.11	2024 G465	Daga 11 -f 1
evision date: 26.11	.2024 0400	Page 11 of 1
agents.	· · · · · · · · · · · · · · · · · · ·	
	nsfer of substance or mixture into small containers (dedicated filling line, including weighi oller application or brushing): Processing without large-scale spraying.	ing)
•	praying outside industrial settings): Processing without large-scale spraying.	ure
cleaning, foar		ule
•	eatment of articles by dipping and pouring	
	and-mixing with intimate contact): Hand cleaning and disinfection EUH statements (number and full text) May be corrosive to metals.	
Relevant H and E H290	EUH statements (number and full text) May be corrosive to metals.	
Relevant H and E H290 H302	EUH statements (number and full text) May be corrosive to metals. Harmful if swallowed.	
Relevant H and E H290	EUH statements (number and full text) May be corrosive to metals. Harmful if swallowed. Causes severe skin burns and eye damage.	
Relevant H and E H290 H302 H314	EUH statements (number and full text) May be corrosive to metals. Harmful if swallowed.	
Relevant H and E H290 H302 H314 H318	EUH statements (number and full text) May be corrosive to metals. Harmful if swallowed. Causes severe skin burns and eye damage. Causes serious eye damage.	
Relevant H and E H290 H302 H314 H318 H335	EUH statements (number and full text) May be corrosive to metals. Harmful if swallowed. Causes severe skin burns and eye damage. Causes serious eye damage. May cause respiratory irritation.	
Relevant H and E H290 H302 H314 H318 H335 H400	EUH statements (number and full text) May be corrosive to metals. Harmful if swallowed. Causes severe skin burns and eye damage. Causes serious eye damage. May cause respiratory irritation. Very toxic to aquatic life.	
Relevant H and E H290 H302 H314 H318 H335 H400 H410	EUH statements (number and full text) May be corrosive to metals. Harmful if swallowed. Causes severe skin burns and eye damage. Causes serious eye damage. May cause respiratory irritation. Very toxic to aquatic life. Very toxic to aquatic life. Harmful to aquatic life with long lasting effects.	

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)

617