according to Regulation (EC) No 1907/2006



Telefax: +49 (0) 8331 930-880

Corridor®+ Multi Stripper

P937 Revision date: 28.11.2024 Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Corridor®+ Multi Stripper

UFI: MKT0-00GV-Y00R-YFRM

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

EuPCS: PC-CLN-13.3 Floor strippers Process categories [PROC]: 8, 10 Restricted to professional users.

1.3. Details of the supplier of the safety data sheet

BUZIL-WERK Wagner GmbH & Co. KG Company name:

Street: Fraunhofer Str. 17 Place: D-87700 Memmingen Telephone: +49 (0) 8331 930-6

E-mail: info@buzil.de

info@buzil.de Contact person: Internet: www.buzil.com

1.4. Emergency telephone +49 (0) 8331 930-6 (08:00 - 16:00 h)

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Eye Irrit. 2; H319

Full text of hazard statements: see SECTION 16.

The product does not support combustion. It therefore needs not to be classified as flammable despite a flash point below 60 °C.

2.2. Label elements

Regulation (EC) No 1272/2008

Signal word: Warning

Pictograms:



Hazard statements

H319 Causes serious eye irritation.

Precautionary statements

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

SECTION 3: Composition/information on ingredients

3.2. Mixtures





Corridor®+ Multi Stripper

Revision date: 28.11.2024 P937 Page 2 of 11

Hazardous components

| CAS No | Chemical name | | | | | |
|------------|-------------------------------------|-----------------------------|------------------|------------|--|--|
| | EC No | Index No | REACH No | | | |
| | Classification (Regulation (EC) N | o 1272/2008) | | | | |
| 112-34-5 | 2-(2-Butoxyethoxy)ethanol, Dieth | ylene glycol monobutyl ethe | er | 5 - < 10 % | | |
| | 203-961-6 | 603-096-00-8 | 01-2119475104-44 | | | |
| | Eye Irrit. 2; H319 | • | | | | |
| 64-17-5 | Ethanol | 1 - < 5 % | | | | |
| | 200-578-6 | 603-002-00-5 | 01-2119457610-43 | | | |
| | Flam. Liq. 2, Eye Irrit. 2; H225 H3 | | | | | |
| 770-35-4 | Phenoxypropanol | 1 - < 5 % | | | | |
| | 212-222-7 | | 01-2119486566-23 | | | |
| | Eye Irrit. 2; H319 | | | | | |
| 26183-52-8 | Decan-1-ol, ethoxylated | 1 - < 5 % | | | | |
| | Acute Tox. 4, Eye Dam. 1; H302 | | | | | |
| 34590-94-8 | 1-(Methoxymethylethoxy)-propan | 1 - < 5 % | | | | |
| | 252-104-2 | | 01-2119450011-60 | | | |
| | | • | • | | | |

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

| CAS No | EC No | Chemical name | Quantity | | |
|------------|---|---|------------|--|--|
| | Specific Conc | . Limits, M-factors and ATE | | | |
| 112-34-5 | 203-961-6 | 2-(2-Butoxyethoxy)ethanol, Diethylene glycol monobutyl ether | 5 - < 10 % | | |
| | dermal: LD50 | = 4120 mg/kg; oral: LD50 = 5660 mg/kg | | | |
| 64-17-5 | 200-578-6 | Ethanol | 1 - < 5 % | | |
| | inhalation: LC | inhalation: LC50 = 95,6 mg/l (vapours); oral: LD50 = 6200 mg/kg | | | |
| 770-35-4 | 212-222-7 | Phenoxypropanol | 1 - < 5 % | | |
| | dermal: LD50 | = > 2000 mg/kg; oral: LD50 = > 2000 mg/kg | | | |
| 26183-52-8 | | Decan-1-ol, ethoxylated | 1 - < 5 % | | |
| | dermal: LD50 = > 2000 mg/kg; oral: LD50 = 500 mg/kg | | | | |
| 34590-94-8 | 252-104-2 | 1-(Methoxymethylethoxy)-propanol(2) | 1 - < 5 % | | |
| | dermal: LD50 | = 9510 mg/kg; oral: LD50 = > 5000 mg/kg | | | |

Labelling for contents according to Regulation (EC) No 648/2004

< 5 % non-ionic surfactants, < 5 % soap.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Remove contaminated, saturated clothing immediately.

After inhalation

Provide fresh air.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap.

Take off contaminated clothing and wash it before reuse.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

according to Regulation (EC) No 1907/2006



Corridor®+ Multi Stripper

Revision date: 28.11.2024 P937 Page 3 of 11

After ingestion

Rinse mouth immediately and drink plenty of water.

Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Water spray jet

alcohol resistant foam

Carbon dioxide

Extinguishing powder

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products:

Carbon dioxide

Carbon monoxide

5.3. Advice for firefighters

Co-ordinate fire-fighting measures to the fire surroundings.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Use personal protection equipment.

Avoid contact with skin, eyes and clothes.

For non-emergency personnel

Ventilate affected area.

For emergency responders

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

Do not allow to enter into soil/subsoil.

6.3. Methods and material for containment and cleaning up

For containment

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

For cleaning up

Treat the recovered material as prescribed in the section on waste disposal.

Other information

Collect in closed and suitable containers for disposal.

Ventilate affected area.

6.4. Reference to other sections

Personal protection equipment: see section 8

Disposal: see section 13

according to Regulation (EC) No 1907/2006



Corridor®+ Multi Stripper

Revision date: 28.11.2024 P937 Page 4 of 11

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid contact with skin, eyes and clothes.

Do not mix with other chemicals.

Use personal protection equipment.

When using do not eat, drink or smoke.

Do not breathe gas/fumes/vapour/spray.

Use only in well-ventilated areas.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

Advice on general occupational hygiene

Take off contaminated clothing.

Wash hands before breaks and after work.

When using do not eat or drink.

Further information on handling

No further relevant information available.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed.

Hints on joint storage

No special measures are necessary.

Further information on storage conditions

No further relevant information available.

7.3. Specific end use(s)

Cleaning agent

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limit values

| CAS No | Name of agent | ppm | mg/m³ | fib/cm³ | Category | Origin |
|------------|---------------------------------|-----|-------|---------|---------------|--------|
| 34590-94-8 | (2-Methoxymethylethoxy)propanol | 50 | 308 | | TWA (8 h) | |
| 112-34-5 | 2-(2-Butoxyethoxy)ethanol | 10 | 67.5 | | TWA (8 h) | |
| | | 15 | 101.2 | | STEL (15 min) | |

Additional advice on limit values

No information available.

8.2. Exposure controls





Appropriate engineering controls

No information available.

Individual protection measures, such as personal protective equipment

according to Regulation (EC) No 1907/2006



Corridor®+ Multi Stripper

Revision date: 28.11.2024 P937 Page 5 of 11

Eye/face protection

Wear eye protection/face protection. (EN 166)

Hand protection

Wear suitable gloves. (EN 374, Category III)

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits.

Suitable material: NBR (Nitrile rubber) / Thickness of the glove material > 0,1 mm

Diluted ready-to-use solutions <=1%:

Protective gloves may be waived, if equivalent measures allowing for an increased skin stress because of wet work are implemented (e. g. application of suitable skin protecting creams).

Skin protection

Wear suitable work clothing.

Respiratory protection

Use only in well-ventilated areas.

In case of inadequate ventilation wear respiratory protection. (EN 14387)

Thermal hazards

No further relevant information available.

Environmental exposure controls

Section 6: Accidental Release Measures

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Liquid

Colour: colourless - light yellow

Odour: characteristic

Test method

Melting point/freezing point: approx. 0 °C
Boiling point or initial boiling point and approx. 100 °C

boiling range:

Flammability: not applicable Lower explosion limits: not determined not determined Upper explosion limits: Flash point: 59 °C Auto-ignition temperature: not determined Decomposition temperature: not applicable pH-Value (at 20 °C): 8.8 - 9.5 not determined Viscosity / kinematic:

(at 40 °C)

Water solubility: completely miscible

(at 20 °C)

Solubility in other solvents

not determined

Partition coefficient n-octanol/water:

Vapour pressure:

Density (at 20 °C):

Relative density:

Relative vapour density:

Particle characteristics:

not applicable
not determined
not determined
not determined
not determined

9.2. Other information

Information with regard to physical hazard classes

according to Regulation (EC) No 1907/2006



Corridor®+ Multi Stripper

Revision date: 28.11.2024 P937 Page 6 of 11

Sustaining combustion: Not sustaining combustion

Other safety characteristics

Viscosity / dynamic: < 10 mPa·s (50 1/s) (at 25 °C)

Further Information

No information available.

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

10.4. Conditions to avoid

The product is stable under storage at normal ambient temperatures.

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l





Corridor®+ Multi Stripper

Revision date: 28.11.2024 P937 Page 7 of 11

| CAS No | Chemical name | chemical name | | | | | | |
|------------|-------------------------|--|-----------|---------|--------|----------|--|--|
| | Exposure route | Dose | | Species | Source | Method | | |
| 112-34-5 | 2-(2-Butoxyethoxy)ethar | 2-(2-Butoxyethoxy)ethanol, Diethylene glycol monobutyl ether | | | | | | |
| | oral | LD50 mg/kg | 5660 | Rat | | | | |
| | dermal | LD50 mg/kg | 4120 | Rabbit | | | | |
| 64-17-5 | Ethanol | _ | | | | | | |
| | oral | LD50 mg/kg | 6200 | Rat | IUCLID | | | |
| | inhalation (4 h) vapour | LC50 | 95,6 mg/l | Rat | RTECS | | | |
| 770-35-4 | Phenoxypropanol | | | | | | | |
| | oral | LD50 mg/kg | > 2000 | Rat | | | | |
| | dermal | LD50 mg/kg | > 2000 | Rat | | | | |
| 26183-52-8 | Decan-1-ol, ethoxylated | | | | | | | |
| | oral | LD50 mg/kg | 500 | Rat | | | | |
| | dermal | LD50 mg/kg | > 2000 | Rat | | | | |
| 34590-94-8 | | | | | | | | |
| | oral | LD50 mg/kg | > 5000 | Rat | | OECD 401 | | |
| | dermal | LD50 mg/kg | 9510 | Rabbit | | OECD 402 | | |

Irritation and corrosivity

Serious eye damage/eye irritation: Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards


Other information

No information available.

SECTION 12: Ecological information

12.1. Toxicity

Based on available data, the classification criteria are not met.





Corridor®+ Multi Stripper

Revision date: 28.11.2024 P937 Page 8 of 11

| CAS No | Chemical name | | | | | | | | |
|------------|-------------------------------------|--|--------------|-----------|--------------------------------------|--------|----------|--|--|
| | Aquatic toxicity | Dose | | [h] [d] | Species | Source | Method | | |
| 112-34-5 | 2-(2-Butoxyethoxy)ethand | 2-(2-Butoxyethoxy)ethanol, Diethylene glycol monobutyl ether | | | | | | | |
| | Acute algae toxicity | ErC50 mg/l | > 100 | | Scenedesmus sp. | | | | |
| | Acute crustacea toxicity | EC50 mg/l | > 100 | 48 h | Daphnia magna | | | | |
| 64-17-5 | Ethanol | | | | | | | | |
| | Acute crustacea toxicity | EC50 14221 mg | 9268 - /I | 48 h | Daphnia magna | IUCLID | | | |
| 770-35-4 | Phenoxypropanol | | | | | | | | |
| | Acute fish toxicity | LC50 | 280 mg/l | 96 h | Pimephales promelas (fathead minnow) | | OECD 203 | | |
| | Acute algae toxicity | ErC50 mg/l | > 100 | 72 h | Desmodesmus subspicatus | | | | |
| | Acute crustacea toxicity | EC50 | 370 mg/l | | Daphnia magna (Big water flea) | | OECD 202 | | |
| 26183-52-8 | Decan-1-ol, ethoxylated | | | | | | | | |
| | Acute algae toxicity | ErC50 | 19,6 mg/l | 72 h | | | OECD 201 | | |
| | Acute crustacea toxicity | EC50 | 15,0 mg/l | 48 h | | | OECD 202 | | |
| 34590-94-8 | 1-(Methoxymethylethoxy)-propanol(2) | | | | | | | | |
| | Acute fish toxicity | LC50 mg/l | 10000 | 96 h | Pimephales promelas (fathead minnow) | | | | |
| | Acute algae toxicity | ErC50 | 969 mg/l | 96 h | Pseudokirchneriella subcapitata | | OECD 201 | | |
| | Acute crustacea toxicity | EC50 mg/l | 1919 | 48 h | Daphnia magna (Big water flea) | | OECD 202 | | |
| | Crustacea toxicity | NOEC | 0,5 mg/l | 22 d | Daphnia magna (Big water flea) | | OECD 211 | | |

12.2. Persistence and degradability

The surfactants contained in this mixture comply with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents.

| CAS No | Chemical name | | | | | | | |
|------------|---|--------|----|--------|--|--|--|--|
| | Method | Value | d | Source | | | | |
| | Evaluation | - | - | | | | | |
| 770-35-4 | Phenoxypropanol | | | | | | | |
| | OECD 301 F | > 60 % | 28 | | | | | |
| | Readily biodegradable (according to OECD criteria). | | | | | | | |
| 26183-52-8 | Decan-1-ol, ethoxylated | | | | | | | |
| | @00000000000 B | > 60 % | 28 | | | | | |
| | Readily biodegradable (according to OECD criteria). | | | | | | | |
| 34590-94-8 | 1-(Methoxymethylethoxy)-propanol(2) | | | | | | | |
| | OECD 301 F | > 60 % | 28 | | | | | |
| | Readily biodegradable (according to OECD criteria). | | | | | | | |

12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

according to Regulation (EC) No 1907/2006



| | Corridor®+ Multi Stripper | |
|---------------------------|---------------------------|--------------|
| Revision date: 28.11.2024 | P937 | Page 9 of 11 |

Partition coefficient n-octanol/water

| CAS No | Chemical name | Log Pow |
|------------|--|-------------|
| 112-34-5 | 2-(2-Butoxyethoxy)ethanol, Diethylene glycol monobutyl ether | 0,56 (25°C) |
| 64-17-5 | Ethanol | -0,31 |
| 770-35-4 | Phenoxypropanol | 1,41 |
| 34590-94-8 | 1-(Methoxymethylethoxy)-propanol(2) | 0,004 |

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Dispose of waste according to applicable legislation.

Delivery to an approved waste disposal company.

List of Wastes Code - residues/unused products

070601 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease,

soaps, detergents, disinfectants and cosmetics; aqueous washing liquids and mother liquors;

hazardous waste

List of Wastes Code - contaminated packaging

150102 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND

PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately

collected municipal packaging waste); plastic packaging

Contaminated packaging

Non-contaminated packages may be recycled.

SECTION 14: Transport information

Land transport (ADR/RID)

| 14.1. UN number or ID number: | No dangerous good in sense of this transport regulation. |
|-----------------------------------|--|
| 14.2. UN proper shipping name: | No dangerous good in sense of this transport regulation. |
| 14.3. Transport hazard class(es): | No dangerous good in sense of this transport regulation. |
| 14.4. Packing group: | No dangerous good in sense of this transport regulation. |

Inland waterways transport (ADN)

| 14.1. UN number or ID number: | No dangerous good in sense of this transport regulation. |
|-----------------------------------|--|
| 14.2. UN proper shipping name: | No dangerous good in sense of this transport regulation. |
| 14.3. Transport hazard class(es): | No dangerous good in sense of this transport regulation. |
| 14.4. Packing group: | No dangerous good in sense of this transport regulation. |

Marine transport (IMDG)

| 14.1. UN number or ID number: | No dangerous good in sense of this transport regulation. |
|-----------------------------------|--|
| 14.2. UN proper shipping name: | No dangerous good in sense of this transport regulation. |
| 14.3. Transport hazard class(es): | No dangerous good in sense of this transport regulation. |
| 14.4. Packing group: | No dangerous good in sense of this transport regulation. |

according to Regulation (EC) No 1907/2006



Corridor®+ Multi Stripper

Revision date: 28.11.2024 P937 Page 10 of 11

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

No special measures are necessary.

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 40, Entry 55

Directive 2010/75/EU on industrial 15.6 %

emissions:

Additional information

Regulation (EC) No. 648/2004 [Detergents regulation]

National regulatory information

Water hazard class (D): 1 - slightly hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 7,14,15.

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

Process categories according to ECHA guidance on information requirements and chemical safety assessment, chapter R.12:

PROC 1: Use in closed processes.

PROC 2: Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions

PROC 4: Chemical production where opportunity for exposure arises

PROC 7: Industrial spraying

PROC 8 (Transfer): Dilution of concentrated products, application of drain cleaners, dosage of textile washing

according to Regulation (EC) No 1907/2006



Corridor®+ Multi Stripper

Revision date: 28.11.2024 P937 Page 11 of 11

agents.

PROC 9: Transfer of substance or mixture into small containers (dedicated filling line, including weighing)

PROC 10 (Roller application or brushing): Processing without large-scale spraying.

PROC 11 (Spraying outside industrial settings): Processing with large-scale spraying (e. g. high pressure cleaning, foam gun).

PROC 13: Treatment of articles by dipping and pouring

PROC 19 (Hand-mixing with intimate contact): Hand cleaning and disinfection

Relevant H and EUH statements (number and full text)

H225 Highly flammable liquid and vapour.

H302 Harmful if swallowed.

H318 Causes serious eye damage. H319 Causes serious eye irritation.

Further Information

Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]: 9 (1)

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)